2017 Product Roundup: Deicing And Application Equipment



Source: www.TurfMagazine.com

× Synatek

Deicing Solution

Entry is a new biodegradable deicing solution based on BASF's formic acid. Potassium formate removes thin layers of ice, and prevents new snow and ice from accumulating. At a 50-percent concentration, the freezing point is reduced to approximately minus 63 degrees Fahrenheit. The low Chemical Oxygen Demand minimizes oxygen depletion of surrounding soil and surface water.

× HIGHCOUNTRY

Walk About 2

The Walk About 2 is a new liquid deicer sidewalk spreader from HighCountry. The frame is all welded aluminum for strength and weight reduction. No batteries and no pumps for less maintenance worries. The unit features a large 5-gallon capacity and gravity feed. It is designed to work with all deicing liquids according to the company.

×

PROMELT

Magic Salt

Magic Salt by ProMelt starts to work immediately, is longer lasting and delivers results at temperatures as low as -25 degrees Fahrenheit. Treated with the Magic -0 by ProMelt liquid, Magic Salt has earned the EPA "Safer Choice" Design for the environment designation. It is available in easy to handle and store 50-lb bags.

×

BOSS SNOWPLOW

QuickCube

The new QuickCube is a unique new skid-steerbased salting system. It utilizes weather-proof, poly cubes (hoppers) that can be filled with solid deicing

materials and staged at job sites in advance. A fork-shaped spreader assembly is attached to the skid steer with a universal attachment system to pick up the filled cubes, move them and spread salt.

×

EASTERN FARM MACHINERY

Snowline MINI60

The Snowline MINI60 walk behind spreader holds up to 2 cubic feet of wet sand, sand/salt or ice melter. Spreading width is 24 inches. With its changeable cams and adjustable flow control, accurate and even application rates are ensured and product waste is minimized.

×

HINIKER

Hiniker SS600 and SS1000

The new Hiniker SS600 and SS1000 stainless-steel tailgate spreaders feature an in-cab variable- speed controller with blast control. The bubble auger design means the flow stops when the auger stops. Stainless-steel hoppers are available in 6 and 10 cubic foot capacities. A swing-away hitch for the unit is optional.

×

SNOWEX

V-Maxx G2

The new V-Maxx G2 hopper spreaders from SnowEx include eight different V-box models ranging in capacity from 1.5 to 6 cubic yards. The digital, selfdiagnosing unit is electric powered and features a direct-drive auger transmission. The spread width is variable up to 40 feet.

× CARGILL

ClearLane

ClearLane enhanced deicer is a pre-wet sodium chloride made from a patented liquid magnesium chloride formula and mixing process. Combined with prewetting and deicing agents, including a PNS-approved corrosion inhibitor, a coloring agent, and a leaching inhibitor, ClearLane is a deicer for effective winter road maintenance that's anti-corrosive and a better alternative to traditional road salt.



B**OBCAT**

Hydraulic spreader (HS8)

The Hydraulic spreader (HS8) attachment has a spread pattern controlled by hydraulic motor that gives spread pattern of 18 to 28 feet with three material flow gates. The self-loading, 8-cubic-foot hopper has an open top and can be used as a bucket, allowing an operator to fill the spreader from a pile rather than pour material into the top.

×

WESTERN

SS-120

The SS-120 walk-behind sidewalk sprayer applies liquid anti-icing to help prevent snow and ice from forming a bond with the pavement. The sprayer features a battery-powered electric pump that sprays up to one gallon per minute from the 12-gallon poly tank. The height-adjustable nozzle sprays up to four feet wide.

Have a new product? Submit entries using our <u>Product Form</u> for Turf, Turf Design Build and PLOW Magazines.